

# TEKNOMETALL



## PRODUCT CATALOGUE





# Index

---

Strips

Rods

Knives

Tips

Inserts


Blanks

Qualities






## STRIPS 2 BEVELS



Code	H	S	L	Quality ST05B
TBF 1003-310	10,0	3,0	310	Stock
TBF 1503-310	15,0	3,0	310	Stock
TBF 2003-310	20,0	3,0	310	Stock
TBF 2503-310	25,0	3,0	310	Stock
TBF 3003-310	30,0	3,0	310	Stock
TBF 1004-310	10,0	4,0	310	Stock
TBF 1204-310	12,0	4,0	310	Stock
TBF 1504-310	15,0	4,0	310	Stock
TBF 1804-310	18,0	4,0	310	Stock
TBF 2004-310	20,0	4,0	310	Stock
TBF 2204-310	22,0	4,0	310	Stock
TBF 2504-310	25,0	4,0	310	Stock
TBF 2704-310	27,0	4,0	310	Stock
TBF 3004-310	30,0	4,0	310	Stock
TBF 3504-310	35,0	4,0	310	Stock
TBF 1205-310	12,0	5,0	310	Stock
TBF 1505-310	15,0	5,0	310	Stock
TBF 1605-310	16,0	5,0	310	Stock
TBF 1805-310	18,0	5,0	310	Stock
TBF 2005-310	20,0	5,0	310	Stock
TBF 2205-310	22,0	5,0	310	Stock
TBF 2505-310	25,0	5,0	310	Stock
TBF 2705-310	27,0	5,0	310	Stock
TBF 3005-310	30,0	5,0	310	Stock
TBF 3205-310	32,0	5,0	310	Stock
TBF 3505-310	35,0	5,0	310	Stock
TBF 4005-310	40,0	5,0	310	Stock
TBF 4505-310	45,0	5,0	310	Stock
TBF 5005-310	50,0	5,0	310	Stock
TBF 6005-310	60,0	5,0	310	Stock




## STRIPS FOR PLANER BLADES



Code	H	S	L	Quality TK20
TBC 7515-640	7,5	1,5	640	Request
TBC 7515-840	7,5	1,5	840	Request
TBC 11515-610	11,5	1,5	610	Request
TBC 11515-810	11,5	1,5	810	Request
TBC 11515-860	11,5	1,5	860	Request
TBC 11515-1040	11,5	1,5	1040	Request




## RODS GROUND h6 L=330mm



Code	D	L	Quality ST20F
TCR 0150-330	1,5	330	Stock
TCR 0200-330	2,0	330	Stock
TCR 0250-330	2,5	330	Stock
TCR 0300-330	3,0	330	Stock
TCR 0350-330	3,5	330	Stock
TCR 0400-330	4,0	330	Stock
TCR 0450-330	4,5	330	Stock
TCR 0500-330	5,0	330	Stock
TCR 0550-330	5,5	330	Stock
TCR 0600-330	6,0	330	Stock
TCR 0650-330	6,5	330	Stock
TCR 0700-330	7,0	330	Stock
TCR 0750-330	7,5	330	Stock
TCR 0800-330	8,0	330	Stock
TCR 0850-330	8,5	330	Stock
TCR 0900-330	9,0	330	Stock
TCR 0950-330	9,5	330	Stock
TCR 1000-330	10,0	330	Stock
TCR 1050-330	10,5	330	Stock
TCR 1100-330	11,0	330	Stock
TCR 1200-330	12,0	330	Stock
TCR 1300-330	13,0	330	Stock
TCR 1400-330	14,0	330	Stock
TCR 1500-330	15,0	330	Stock
TCR 1600-330	16,0	330	Stock
TCR 1700-330	17,0	330	Stock
TCR 1800-330	18,0	330	Stock
TCR 1900-330	19,0	330	Stock
TCR 2000-330	20,0	330	Stock
TCR 2100-330	21,0	330	Stock
TCR 2200-330	22,0	330	Stock
TCR 2300-330	23,0	330	Stock
TCR 2400-330	24,0	330	Stock
TCR 2500-330	25,0	330	Stock
TCR 2600-330	26,0	330	Stock
TCR 2700-330	27,0	330	Stock
TCR 2800-330	28,0	330	Stock
TCR 2900-330	29,0	330	Stock
TCR 3000-330	30,0	330	Stock
TCR 3200-330	32,0	330	Stock




## RODS GROUND h5 FIXED LENGTHS



Code	D	L	Quality ST20F
TCR 0300-050	3,0	50	Stock
TCR 0300-060	3,0	60	Stock
TCR 0300-100	3,0	100	Stock
TCR 0400-050	4,0	50	Stock
TCR 0400-060	3,0	60	Stock
TCR 0400-100	4,0	100	Stock
TCR 0500-050	5,0	50	Stock
TCR 0500-100	5,0	100	Stock
TCR 0600-050	6,0	50	Stock
TCR 0600-060	6,0	60	Stock
TCR 0600-065	6,0	65	Stock
TCR 0600-070	6,0	70	Stock
TCR 0600-080	6,0	80	Stock
TCR 0600-100	6,0	100	Stock
TCR 0800-070	8,0	70	Stock
TCR 0800-080	8,0	80	Stock
TCR 0800-090	8,0	90	Stock
TCR 0800-100	8,0	100	Stock
TCR 1000-070	10,0	70	Stock
TCR 1000-072	10,0	72	Stock
TCR 1000-075	10,0	75	Stock
TCR 1000-080	10,0	80	Stock
TCR 1000-100	10,0	100	Stock
TCR 1000-110	10,0	110	Stock
TCR 1200-080	12,0	80	Stock
TCR 1200-083	12,0	83	Stock
TCR 1200-085	12,0	85	Stock
TCR 1200-100	12,0	100	Stock
TCR 1400-100	14,0	100	Stock
TCR 1400-150	14,0	150	Stock
TCR 1600-092	16,0	92	Stock
TCR 1600-100	16,0	100	Stock
TCR 1600-120	16,0	120	Stock
TCR 1600-130	16,0	130	Stock
TCR 1600-150	16,0	150	Stock
TCR 1800-100	18,0	100	Stock
TCR 1800-130	18,0	130	Stock
TCR 1800-150	18,0	150	Stock
TCR 2000-100	20,0	100	Stock
TCR 2000-130	20,0	130	Stock
TCR 2000-150	20,0	150	Stock




## PLANER BLADES BULLDOZER



Code	B x S x L	B1	S1	Quality ST20F
COBULL 100	13,8 x 1,8 x 100,0	3,0	0,5	Stock
COBULL 120	13,8 x 1,8 x 120,0	3,0	0,5	Stock
COBULL 130	13,8 x 1,8 x 130,0	3,0	0,5	Stock
COBULL 150	13,8 x 1,8 x 150,0	3,0	0,5	Stock
COBULL 160	13,8 x 1,8 x 160,0	3,0	0,5	Stock
COBULL 180	13,8 x 1,8 x 180,0	3,0	0,5	Stock
COBULL 190	13,8 x 1,8 x 190,0	3,0	0,5	Stock
COBULL 200	13,8 x 1,8 x 200,0	3,0	0,5	Stock
COBULL 210	13,8 x 1,8 x 210,0	3,0	0,5	Stock
COBULL 230	13,8 x 1,8 x 230,0	3,0	0,5	Stock
COBULL 240	13,8 x 1,8 x 240,0	3,0	0,5	Stock
COBULL 260	13,8 x 1,8 x 260,0	3,0	0,5	Stock

## PLANER BLADES CENTROLOCK



Code	B x S x L	B1	S1	Quality ST20F
COCTL 080	16,0 x 3,0 x 80,0	-	-	Request
COCTL 100	16,0 x 3,0 x 100,0	-	-	Request
COCTL 120	16,0 x 3,0 x 120,0	-	-	Request
COCTL 130	16,0 x 3,0 x 130,0	-	-	Request
COCTL 150	16,0 x 3,0 x 150,0	-	-	Request
COCTL 170	16,0 x 3,0 x 170,0	-	-	Request
COCTL 180	16,0 x 3,0 x 180,0	-	-	Request
COCTL 190	16,0 x 3,0 x 190,0	-	-	Request
COCTL 210	16,0 x 3,0 x 210,0	-	-	Request
COCTL 230	16,0 x 3,0 x 230,0	-	-	Request
COCTL 240	16,0 x 3,0 x 240,0	-	-	Request
COCTL 260	16,0 x 3,0 x 260,0	-	-	Request
COCTL 280	16,0 x 3,0 x 280,0	-	-	Request
COCTL 300	16,0 x 3,0 x 300,0	-	-	Request
COCTL 310	16,0 x 3,0 x 310,0	-	-	Request
COCTL 460	16,0 x 3,0 x 460,0	-	-	Request
COCTL 640	16,0 x 3,0 x 640,0	-	-	Request




## PLANER BLADES TERSA



Code	B x S x L	Quality ST20F
COTER 0080	10,0 x 2,3 x 80,0	Request
COTER 0090	10,0 x 2,3 x 90,0	Request
COTER 0100	10,0 x 2,3 x 100,0	Request
COTER 0110	10,0 x 2,3 x 110,0	Request
COTER 0115	10,0 x 2,3 x 115,0	Request
COTER 0120	10,0 x 2,3 x 120,0	Request
COTER 0130	10,0 x 2,3 x 130,0	Request
COTER 0140	10,0 x 2,3 x 140,0	Request
COTER 0150	10,0 x 2,3 x 150,0	Request
COTER 0160	10,0 x 2,3 x 160,0	Request
COTER 0170	10,0 x 2,3 x 170,0	Request
COTER 0180	10,0 x 2,3 x 180,0	Request
COTER 0185	10,0 x 2,3 x 185,0	Request
COTER 0190	10,0 x 2,3 x 190,0	Request
COTER 0200	10,0 x 2,3 x 200,0	Request
COTER 0210	10,0 x 2,3 x 210,0	Request
COTER 0220	10,0 x 2,3 x 220,0	Request
COTER 0230	10,0 x 2,3 x 230,0	Request
COTER 0240	10,0 x 2,3 x 240,0	Request
COTER 0250	10,0 x 2,3 x 250,0	Request
COTER 0260	10,0 x 2,3 x 260,0	Request
COTER 0270	10,0 x 2,3 x 270,0	Request
COTER 0280	10,0 x 2,3 x 280,0	Request
COTER 0290	10,0 x 2,3 x 290,0	Request
COTER 0300	10,0 x 2,3 x 300,0	Request
COTER 0310	10,0 x 2,3 x 310,0	Request
COTER 0320	10,0 x 2,3 x 320,0	Request
COTER 0330	10,0 x 2,3 x 330,0	Request
COTER 0340	10,0 x 2,3 x 340,0	Request
COTER 0350	10,0 x 2,3 x 350,0	Request
COTER 0360	10,0 x 2,3 x 360,0	Request
COTER 0400	10,0 x 2,3 x 400,0	Request
COTER 0410	10,0 x 2,3 x 410,0	Request
COTER 0415	10,0 x 2,3 x 415,0	Request






## PLANER BLADES VARIPLAN



Code	B x S x L	Quality ST20F
COVAR 080	16,0 x 3,7 x 80,0	Request
COVAR 100	16,0 x 3,7 x 100,0	Request
COVAR 120	16,0 x 3,7 x 120,0	Request
COVAR 130	16,0 x 3,7 x 130,0	Request
COVAR 136	16,0 x 3,7 x 136,0	Request
COVAR 150	16,0 x 3,7 x 150,0	Request
COVAR 170	16,0 x 3,7 x 170,0	Request
COVAR 180	16,0 x 3,7 x 180,0	Request
COVAR 190	16,0 x 3,7 x 190,0	Request
COVAR 210	16,0 x 3,7 x 210,0	Request
COVAR 230	16,0 x 3,7 x 230,0	Request
COVAR 240	16,0 x 3,7 x 240,0	Request
COVAR 400	16,0 x 3,7 x 400,0	Request
COVAR 410	16,0 x 3,7 x 410,0	Request
COVAR 420	16,0 x 3,7 x 420,0	Request
COVAR 430	16,0 x 3,7 x 430,0	Request
COVAR 500	16,0 x 3,7 x 500,0	Request
COVAR 510	16,0 x 3,7 x 510,0	Request
COVAR 520	16,0 x 3,7 x 520,0	Request
COVAR 530	16,0 x 3,7 x 530,0	Request
COVAR 540	16,0 x 3,7 x 540,0	Request
COVAR 600	16,0 x 3,7 x 600,0	Request
COVAR 610	16,0 x 3,7 x 610,0	Request
COVAR 630	16,0 x 3,7 x 630,0	Request
COVAR 640	16,0 x 3,7 x 640,0	Request




## INDEXABLE KNIVES



Quality TK20MG	Quality TK04UMG
-	-

Code	L x S	d	D	$\alpha$	Quality KCR08
TIQ 1412	14,0 x 1,2	8,7	10,2	30°	Stock
TIQ 1420	14,0 x 2,0	8,7	10,2	30°	Stock
TIQ 1515 /50	15,0 x 2,5	6,4	9,2	30°	Request
TIQ 1515 /100	15,0 x 2,5	6,4	9,2	30°	Request
TIQ 1515 /150	15,0 x 2,5	6,4	9,2	30°	Request
TIQ 2121	21,0 x 5,5	7,4	10,2	40°	Request

## REVERSIBLE KNIVES




Quality TK20MG	Quality TK04UMG
Request	Request

Code	L x B x S	c	$\alpha$	Quality KCR08
CAG 751215	7,5 x 12,0 x 1,5	-	35°	Stock
CAG 961215	9,6 x 12,0 x 1,5	-	35°	Stock
CAG 151215	15,0 x 12,0 x 1,5	-	35°	Stock
CAG 201215	20,0 x 12,0 x 1,5	-	35°	Stock
CAG 251215 /1	25,0 x 12,0 x 1,5	-	35°	Stock
CAG 251215 /2	25,0 x 12,0 x 1,5	14,0	35°	Stock
CAG 301215	30,0 x 12,0 x 1,5	14,0	35°	Stock
CAG 401215	40,0 x 12,0 x 1,5	26,0	35°	Stock
CAG 501215	50,0 x 12,0 x 1,5	26,0	35°	Stock
CAG 601215	60,0 x 12,0 x 1,5	26,0	35°	Stock
CAG 801215	80,0 x 13,0 x 2,2	60,0	35°	Stock
CAG 1001215	100,0 x 13,0 x 2,2	60,0	35°	Stock
CAG 1201215	120,0 x 13,0 x 2,2	60,0	35°	Stock




## INDEXABLE KNIVES



Quality TK20MG	Quality TK04UMG
-	-

Code	H x B x S	d	D	Quality KCR08
TIT 2219	19,0 x 22,0 x 2,0	6,5	9,7	Stock


## INDEXABLE KNIVES



Quality TK20MG	Quality TK04UMG
-	-


Code	B x H x S	d	D	Quality KCR08
TIR 1416	16,0 x 14,0 x 2,0	6,7	9,8	Stock

## SQUARE GROOVING KNIVES




Quality TK20MG	Quality TK04UMG
-	-

Code	B x S	d	D	Quality TK20
TIS 18195	18,0 x 1,95	10,25	12,0	Stock
TIS 18245	18,0 x 2,45	10,25	12,0	Stock
TIS 18295	18,0 x 2,95	10,25	12,0	Stock
TIS 18370	18,0 x 3,70	10,25	12,0	Stock
TIS 18400	18,0 x 4,00	10,25	12,0	Stock




## BLANKS FOR PROFILING 90° - 1 HOLE



Code	B x H x S	E	F	Quality ST02F
TBL 1F-151502	15,0 x 15,3 x 2,0	6,5	4,3	Stock
TBL 1F-152002	15,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-152502	15,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F-153002	15,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F-162002	16,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-202002	20,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-202502	20,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F-203002	20,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F-203502	20,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F-252002	25,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-252502	25,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F-253002	25,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F-253502	25,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F-302002	30,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-302502	30,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F-303002	30,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F-303502	30,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F-304002	30,0 x 40,3 x 2,0	6,5	4,3	Stock
TBL 1F-352002	35,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F-352502	35,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F-353002	35,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F-353502	35,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F-354002	35,0 x 40,3 x 2,0	6,5	4,3	Stock




## BLANKS FOR PROFILING 90° - 2 HOLES



Code	B x H x S	E	F	A	Quality WCR55
TBL 2F-302002	30,0 x 20,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-302502	30,0 x 25,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-303002	30,0 x 30,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-303502	30,0 x 35,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-304002	30,0 x 40,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-352002	35,0 x 20,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-352502	35,0 x 25,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-353002	35,0 x 30,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-353502	35,0 x 35,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-354002	35,0 x 40,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F-402002	40,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-402502	40,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-403002	40,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-403502	40,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-404002	40,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-502002	50,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-502502	50,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-503002	50,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-503502	50,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-504002	50,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-504502	50,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-505002	50,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-602002	60,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-602502	60,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-603002	60,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-603502	60,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-604002	60,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-604502	60,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-605002	60,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-802002	80,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-802502	80,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-803002	80,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-803502	80,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-804002	80,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-804502	80,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F-805002	80,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock




## BLANKS FOR PROFILING 90° - 2 HOLES



Code	B x H x S	E	F	A	Quality WCR55
TBL 4F-1003002	100,0 x 30,3 x 2,0	6,5	4,3	26,0 + 60,0	Stock
TBL 4F-1003502	100,0 x 35,3 x 2,0	6,5	4,3	26,0 + 60,0	Stock
TBL 4F-1004002	100,0 x 40,3 x 2,0	6,5	4,3	26,0 + 60,0	Stock
TBL 4F-1005002	100,0 x 50,3 x 2,0	6,5	4,3	26,0 + 60,0	Stock
TBL 4F-1103502	110,0 x 35,3 x 2,0	6,5	4,3	26,0 + 90,0	Stock
TBL 4F-1104002	110,0 x 40,3 x 2,0	6,5	4,3	26,0 + 90,0	Stock


## BLANKS FOR PROFILING 35° - 1 HOLE



Code	B x H x S	E	F	Quality WCR55
TBL 1F35-151502	15,0 x 15,3 x 2,0	6,5	4,3	Stock
TBL 1F35-152002	15,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-152502	15,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F35-153002	15,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F35-162002	16,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-202002	20,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-202002	20,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-202502	20,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F35-203002	20,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F35-203502	20,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F35-252002	25,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-252502	25,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F35-253002	25,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F35-253502	25,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F35-302002	30,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-302502	30,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F35-303002	30,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F35-303502	30,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F35-304002	30,0 x 40,3 x 2,0	6,5	4,3	Stock
TBL 1F35-352002	35,0 x 20,3 x 2,0	6,5	4,3	Stock
TBL 1F35-352502	35,0 x 25,3 x 2,0	6,5	4,3	Stock
TBL 1F35-353002	35,0 x 30,3 x 2,0	6,5	4,3	Stock
TBL 1F35-353502	35,0 x 35,3 x 2,0	6,5	4,3	Stock
TBL 1F35-354002	35,0 x 40,3 x 2,0	6,5	4,3	Stock



## BLANKS FOR PROFILING 35° - 2 HOLES




Code	B x H x S	E	F	A	Quality WCR55
TBL 2F35-302002	30,0 x 20,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-302502	30,0 x 25,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-303002	30,0 x 30,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-303502	30,0 x 35,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-304002	30,0 x 40,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-352002	35,0 x 20,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-352502	35,0 x 25,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-353002	35,0 x 30,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-353502	35,0 x 35,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-354002	35,0 x 40,3 x 2,0	6,5	4,3	14,0	Stock
TBL 2F35-402002	40,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-402502	40,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-403002	40,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-403502	40,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-404002	40,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-502002	50,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-502502	50,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-503002	50,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-503502	50,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-504002	50,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-504502	50,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-505002	50,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-602002	60,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-602502	60,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-603002	60,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-603502	60,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-604002	60,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-604502	60,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-605002	60,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-802002	80,0 x 20,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-802502	80,0 x 25,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-803002	80,0 x 30,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-803502	80,0 x 35,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-804002	80,0 x 40,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-804502	80,0 x 45,3 x 2,0	6,5	4,3	26,0	Stock
TBL 2F35-805002	80,0 x 50,3 x 2,0	6,5	4,3	26,0	Stock





## BLANKS FOR PROFILING 35° - 2 HOLES




Code	B x H x S	E	F	A	Quality WCR55
TBL 4F35-1003002	100,0 x 30,3 x 2,0	6,5	4,3	26,0 + 60,0	Request
TBL 4F35-1003502	100,0 x 35,3 x 2,0	6,5	4,3	26,0 + 60,0	Request
TBL 4F35-1004002	100,0 x 40,3 x 2,0	6,5	4,3	26,0 + 60,0	Request
TBL 4F35-1005002	100,0 x 50,3 x 2,0	6,5	4,3	26,0 + 60,0	Request
TBL 4F35-1103502	110,0 x 35,3 x 2,0	6,5	4,3	26,0 + 60,0	Request
TBL 4F35-1104002	110,0 x 40,3 x 2,0	6,5	4,3	26,0 + 60,0	Request





## TIPS FOR GROOVING TOOL




Code	L x B x S	y	β	α	Quality TK10M
TDS 1334	13,0 x 3,0 x 4,0	3°	60°	40°	Request
TDS 1344	13,0 x 4,0 x 4,0	3°	60°	40°	Request
TDS 1345	13,0 x 5,0 x 4,0	3°	60°	40°	Request
TDS 1346	13,0 x 6,0 x 4,0	3°	60°	40°	Request
TDS 1347	13,0 x 7,0 x 4,0	3°	60°	40°	Request
TDS 1348	13,0 x 8,0 x 4,0	3°	60°	40°	Request
TDS 1349	13,0 x 9,0 x 4,0	3°	60°	40°	Request
TDS 13410	13,0 x 10,5 x 4,0	3°	60°	40°	Request
TDS 13412	13,0 x 12,0 x 4,0	3°	60°	40°	Request
TDS 13413	13,0 x 13,0 x 4,0	3°	60°	40°	Request

Other qualities not available



## SAW TIPS STRAIGHT TOP PRE-TINNED




Code	L x B x S	y	β	α	Quality TK10M
TDPS 853525	8,5 x 3,5 x 2,5	4°	65°	25°	Request
TDPS 853825	8,5 x 3,8 x 2,5	4°	65°	25°	Request
TDPS 854025	8,5 x 4,0 x 2,5	4°	65°	25°	Request
TDPS 854525	8,5 x 4,5 x 2,5	4°	65°	25°	Request
TDPS 855025	8,5 x 5,0 x 2,5	4°	65°	25°	Request
TDPS 1053625	10,5 x 3,6 x 2,5	4°	65°	25°	Request
TDPS 1053825	10,5 x 3,8 x 2,5	4°	65°	25°	Request
TDPS 1053825	10,5 x 3,8 x 2,5	4°	65°	25°	Request
TDPS 1054625	10,5 x 4,6 x 2,5	4°	65°	25°	Request
TDPS 1055025	10,5 x 5,0 x 2,5	4°	65°	25°	Request
TDPS 1053630	10,5 x 3,6 x 3,0	4°	65°	25°	Request
TDPS 1054030	10,5 x 4,0 x 3,0	4°	65°	25°	Request
TDPS 1054530	10,5 x 4,5 x 3,0	4°	65°	25°	Request
TDPS 1055030	10,5 x 5,0 x 3,0	4°	65°	25°	Request
TDPS 1055530	10,5 x 5,5 x 3,0	4°	65°	25°	Request
TDPS 1054035	10,5 x 4,0 x 3,5	4°	65°	25°	Request
TDPS 1054535	10,5 x 4,5 x 3,5	4°	65°	25°	Request
TDPS 1055035	10,5 x 5,0 x 3,5	4°	65°	25°	Request
TDPS 1055535	10,5 x 5,5 x 3,5	4°	65°	25°	Request
TDPS 1056035	10,5 x 6,0 x 3,5	4°	65°	25°	Request

Other qualities not available



## SAW TIPS STRAIGHT TOP




Quality Hard TKCN1	Quality Medium TK10MG	Quality Soft TK10M
Request		

Code	L x B x S	y	β	α
TDP 702020	7,0 x 2,0 x 2,0	5°	70°	25°
TDP 702820	7,0 x 2,8 x 2,0	5°	70°	25°
TDP 703020	7,0 x 3,0 x 2,0	5°	70°	25°
TDP 703220	7,0 x 3,2 x 2,0	5°	70°	25°
TDP 752019	7,5 x 2,0 x 1,9	5°	70°	25°
TDP 752419	7,5 x 2,4 x 1,9	5°	69°	30°
TDP 752819	7,5 x 2,8 x 1,9	5°	69°	30°
TDP 753019	7,5 x 3,0 x 1,9	5°	69°	30°
TDP 753519	7,5 x 3,5 x 1,9	5°	69°	30°
TDP 802523	8,0 x 2,5 x 2,3	5°	70°	25°
TDP 802923	8,0 x 2,9 x 2,3	5°	70°	25°
TDP 803023	8,0 x 3,0 x 2,3	5°	70°	25°
TDP 803123	8,0 x 3,1 x 2,3	5°	70°	25°
TDP 803323	8,0 x 3,3 x 2,3	5°	70°	25°
TDP 803423	8,0 x 3,4 x 2,3	5°	70°	25°
TDP 803523	8,0 x 3,5 x 2,3	5°	70°	25°
TDP 803623	8,0 x 3,6 x 2,3	5°	70°	25°
TDP 803823	8,0 x 3,8 x 2,3	5°	70°	25°
TDP 804023	8,0 x 4,0 x 2,3	5°	70°	25°
TDP 852025	8,5 x 2,0 x 2,5	5°	70°	28°
TDP 853025	8,5 x 3,0 x 2,5	5°	70°	28°
TDP 853525	8,5 x 3,5 x 2,5	5°	70°	28°
TDP 853825	8,5 x 3,8 x 2,5	5°	70°	28°
TDP 854025	8,5 x 4,0 x 2,5	5°	70°	28°
TDP 854225	8,5 x 4,2 x 2,5	5°	70°	28°
TDP 854525	8,5 x 4,5 x 2,5	5°	70°	28°
TDP 855025	8,5 x 5,0 x 2,5	5°	70°	28°
TDP 1053025	10,5 x 3,0 x 2,5	5°	70°	25°
TDP 1053325	10,5 x 3,3 x 2,5	5°	70°	25°
TDP 1053525	10,5 x 3,5 x 2,5	5°	70°	25°
TDP 1053625	10,5 x 3,6 x 2,5	5°	70°	25°
TDP 1053825	10,5 x 3,8 x 2,5	5°	70°	25°
TDP 1054025	10,5 x 4,0 x 2,5	5°	70°	25°
TDP 1054525	10,5 x 4,5 x 2,5	5°	70°	25°
TDP 1054625	10,5 x 4,6 x 2,5	5°	70°	25°
TDP 1054825	10,5 x 4,8 x 2,5	5°	70°	25°



## SAW TIPS STRAIGHT TOP




Quality Hard TKCN1	Quality Medium TK10MG	Quality Soft TK10M
Request		

Code	L x B x S	y	β	α
TDP 1055025	10,5 x 5,0 x 2,5	5°	70°	25°
TDP 1055525	10,5 x 5,5 x 2,5	5°	70°	25°
TDP 1056025	10,5 x 6,0 x 2,5	5°	70°	25°
TDP 1056525	10,5 x 6,5 x 2,5	5°	70°	25°
TDP 1053030	10,5 x 3,0 x 3,0	5°	60°	30°
TDP 1053330	10,5 x 3,3 x 3,0	5°	60°	30°
TDP 1053530	10,5 x 3,5 x 3,0	5°	60°	30°
TDP 1053630	10,5 x 3,6 x 3,0	5°	60°	30°
TDP 1053830	10,5 x 3,8 x 3,0	5°	60°	30°
TDP 1054030	10,5 x 4,0 x 3,0	5°	60°	30°
TDP 1054130	10,5 x 4,1 x 3,0	5°	60°	30°
TDP 1054330	10,5 x 4,3 x 3,0	5°	60°	30°
TDP 1054530	10,5 x 4,5 x 3,0	5°	60°	30°
TDP 1054630	10,5 x 4,6 x 3,0	5°	60°	30°
TDP 1054830	10,5 x 4,8 x 3,0	5°	60°	30°
TDP 1055030	10,5 x 5,0 x 3,0	5°	60°	30°
TDP 1055530	10,5 x 5,5 x 3,0	5°	60°	30°
TDP 1056030	10,5 x 6,0 x 3,0	5°	60°	30°
TDP 1056530	10,5 x 6,5 x 3,0	5°	60°	30°
TDP 1057030	10,5 x 7,0 x 3,0	5°	60°	30°
TDP 1057530	10,5 x 7,5 x 3,0	5°	60°	30°
TDP 1053035	10,5 x 3,0 x 3,5	5°	60°	30°
TDP 1053335	10,5 x 3,3 x 3,5	5°	60°	30°
TDP 1053535	10,5 x 3,5 x 3,5	5°	60°	30°
TDP 1053935	10,5 x 3,9 x 3,5	5°	60°	30°
TDP 1054035	10,5 x 4,0 x 3,5	5°	60°	30°
TDP 1054135	10,5 x 4,1 x 3,5	5°	60°	30°
TDP 1054335	10,5 x 4,3 x 3,5	5°	60°	30°
TDP 1054535	10,5 x 4,5 x 3,5	5°	60°	30°
TDP 1054835	10,5 x 4,8 x 3,5	5°	60°	30°
TDP 1055035	10,5 x 5,0 x 3,5	5°	60°	30°
TDP 1055335	10,5 x 5,3 x 3,5	5°	60°	30°
TDP 1055535	10,5 x 5,5 x 3,5	5°	60°	30°
TDP 1056035	10,5 x 6,0 x 3,5	5°	60°	30°
TDP 1056535	10,5 x 6,5 x 3,5	5°	60°	30°
TDP 1057035	10,5 x 7,0 x 3,5	5°	60°	30°
TDP 1057535	10,5 x 7,5 x 3,5	5°	60°	30°




## TIP STRAIGHT TOP




Code	H x B x S	Quality TK20
TML 128.64	12,8 x 6,4 x 5,4	Stock
TML 128.84	12,8 x 8,4 x 5,4	Stock

## TIP WITH CHIP BREAKERS



Code	H x B x S	T	Quality TK20
TMR 128.64	12,8 x 6,4 x 5,4	2,0	Stock


## TIP STRAIGHT TOP 2



Code	H x B x S	Quality TK20
TML 130.62	13,0 x 6,2 x 5,0	Stock
TML 130.72	13,0 x 7,2 x 5,0	Stock




## EDGE ROUNDING KNIVES




Code	B x L x S	R	d	Quality TK20
TIF 45°	16,0 x 22,0 x 5,0	45°	6,5	Stock
TIF R. 1,5	16,0 x 22,0 x 5,0	1,5	6,5	Stock
TIF R. 2,0	16,0 x 22,0 x 5,0	2,0	6,5	Stock
TIF R. 2,5	16,0 x 22,0 x 5,0	2,5	6,5	Request
TIF R. 3,0	16,0 x 22,0 x 5,0	3,0	6,5	Stock
TIF R. 3,5	16,0 x 22,0 x 5,0	3,5	6,5	Request
TIF R. 4,0	16,0 x 22,0 x 5,0	4,0	6,5	Request
TIF R. 4,0	16,0 x 22,0 x 6,0	4,0	6,5	Stock
TIF R. 5,0	16,0 x 22,0 x 6,0	5,0	6,5	Stock

## PROFILED DETAILS



Code	B x L x S	P	d	Quality TK20
TIF S. 5,0	16,0 x 22,0 x 5,0	=	6,5	Stock
TIF S. 7,0	16,0 x 22,0 x 7,0	=	6,5	Stock
TIF S. 10,0	16,0 x 22,0 x 10,0	=	6,5	Stock


## BREAK OFF DROP



Code	B x L x S	s1	d	Quality TK20
TIF S. 5,0 PD	16,0 x 22,0 x 5,0	2,6	6,5	Stock
TIF S. 7,0 PD	16,0 x 22,0 x 7,0	4,6	6,5	Stock
TIF S. 10,0 PD	16,0 x 22,0 x 10,0	4,3 / 7,0	6,5	Stock




**INNER RADIUS**




Code	L x B x S	R	d	Quality TK20
IRR 954 DX	31,7 x 16,0 x 3,0	1,7	6,5	Stock
IRR 954 SX	31,7 x 16,0 x 3,0	1,7	6,5	Stock

**INNER RADIUS**



Code	L x B x S	R	d	Quality TK20
IRT 894	21,0 x 23,0 x 3,0	1,8	7,0	Stock


**PARALLEL GROOVING KNIVES**



Code	B x L x S	d	Quality TK20
TIC-S 3116/3	16,0 x 31,0 x 3,0	8,5	Stock
TIC-S 3116/4	16,0 x 31,0 x 4,0	7,5	Stock
TIC-S 3116/5	16,0 x 31,0 x 5,0	7,5	Stock
TIC-S 3116/6	16,0 x 31,0 x 6,0	7,5	Stock




## INCLINED GROOVING KNIVES



Code	B x L x S	d	Quality TK20
TIC-S 3416/3	16,0 x 31,0 x 3,0	8,5	Stock
TIC-S 3416/4	16,0 x 31,0 x 4,0	7,5	Stock
TIC-S 3416/5	16,0 x 31,0 x 5,0	7,5	Stock
TIC-S 3416/6	16,0 x 31,0 x 6,0	7,5	Stock


## WEATHERSTRIP SEAT 90°



Quality TK20				
Stock				

Code	L x B x S	S1	d	$\alpha$
TRC 90° DX	22,7 x 16,0 x 7,5	3,0	7,5	90°
TRC 90° SX	22,7 x 16,0 x 7,5	3,0	7,5	90°

## WEATHERSTRIP SEAT 30°




Quality TK20				
Stock				

Code	L x B x S	S1	d	$\alpha$
TRC 30° DX	22,7 x 16,0 x 7,5	3,0	7,5	30°
TRC 30° SX	22,7 x 16,0 x 7,5	3,0	7,5	30°






## EDGE ROUNDING KNIVES BG-TEST RH



Code	B x L x S	R	d	Quality TK20
TBG 45° DX	16,0 x 26,74 x 7,0	45°	6,5	Stock
TBG R. 1,5 DX	16,0 x 26,74 x 7,0	1,5	6,5	Stock
TBG R. 2,0 DX	16,0 x 26,74 x 7,0	2,0	6,5	Stock
TBG R. 3,0 DX	16,0 x 26,74 x 7,0	3,0	6,5	Stock
TBG R. 5,0 DX	16,0 x 26,74 x 7,0	5,0	6,5	Stock


## EDGE ROUNDING KNIVES BG-TEST LH



Code	B x L x S	R	d	Quality TK20
TBG 45° SX	16,0 x 26,74 x 7,0	45°	6,5	Stock
TBG R. 1,5 SX	16,0 x 26,74 x 7,0	1,5	6,5	Stock
TBG R. 2,0 SX	16,0 x 26,74 x 7,0	2,0	6,5	Stock
TBG R. 3,0 SX	16,0 x 26,74 x 7,0	3,0	6,5	Stock
TBG R. 5,0 SX	16,0 x 26,74 x 7,0	5,0	6,5	Stock



## GROOVING KNIVES BG-TEST SHORT TYPE




Quality TK20

Stock

Code	B x L x S	S1	P	d
TIC 2520/3	20,0 x 25,6 x 3,0	2,5	7,6	8,5
TIC 2520/4	20,0 x 25,6 x 4,0	3,5	7,6	8,5
TIC 2520/5	20,0 x 25,6 x 5,0	4,0	7,6	8,5
TIC 2520/6	20,0 x 25,6 x 6,0	4,0	7,6	8,5
TIC 2520/7	20,0 x 25,6 x 7,0	4,0	7,6	8,5
TIC 2520/8	20,0 x 25,6 x 8,0	4,0	7,6	8,5

## GROOVING KNIVES BG-TEST LONG TYPE




Quality TK20

Stock

Code	B x L x S	S1	P	d
TIC 3520/3	20,0 x 35,6 x 3,0	2,5	7,6	8,5
TIC 3520/4	20,0 x 35,6 x 4,0	3,5	7,6	8,5
TIC 3520/5	20,0 x 35,6 x 5,0	4,0	7,6	8,5
TIC 3520/6	20,0 x 35,6 x 6,0	4,0	7,6	8,5
TIC 3520/7	20,0 x 35,6 x 7,0	4,0	7,6	8,5
TIC 3520/8	20,0 x 35,6 x 8,0	4,0	7,6	8,5




## BLANKS FOR PCD DRILLS



Code	L x B x S	R	F	Quality TK10M
TPF 705-5/1,5	7,0 x 5,0 x 1,5	5,0	-	Stock
TPF 855-5/1,5	8,5 x 5,0 x 1,5	5,0	-	Stock
TPF 905-5/1,5	9,0 x 5,0 x 1,5	5,0	-	Stock
TPF 955-5/1,5	9,5 x 5,0 x 1,5	5,0	-	Stock
TPF 1055-5/1,5	10,5 x 5,0 x 1,5	5,0	-	Stock
TPF 1355-5/1,5	13,5 x 5,0 x 1,5	5,0	-	Stock
TPF 855-8/1,5	8,5 x 5,0 x 1,5	8,0	1	Stock
TPF 955-8/1,5	9,5 x 5,0 x 1,5	8,0	1	Stock
TPF 1055-8/1,5	10,5 x 5,0 x 1,5	8,0	1	Stock
TPF 1355-8/1,5	13,5 x 5,0 x 1,5	8,0	1	Stock
TPF 705-5	7,0 x 5,0 x 2,0	5,0	-	Stock
TPF 855-5	8,5 x 5,0 x 2,0	5,0	-	Stock
TPF 905-5	9,0 x 5,0 x 2,0	5,0	-	Stock
TPF 955-5	9,5 x 5,0 x 2,0	5,0	-	Stock
TPF 1055-5	10,5 x 5,0 x 2,0	5,0	-	Stock
TPF 1355-5	13,5 x 5,0 x 2,0	5,0	-	Stock
TPF 855-8	8,5 x 5,0 x 2,0	8,0	1	Stock
TPF 955-8	9,5 x 5,0 x 2,0	8,0	1	Stock
TPF 1055-8	10,5 x 5,0 x 2,0	8,0	1	Stock
TPF 1355-8	13,5 x 5,0 x 2,0	8,0	1	Stock




## BLANKS




Code	Drill Ø	B x H x S	H1	Quality TK20
TPL 065-R/L	15,0	6,5 x 10,5 x 2,5	3,0	Request
TPL 080-R/L	18,0	8,0 x 10,5 x 2,5	3,0	Request
TPL 090-R/L	20,0	9,0 x 10,5 x 2,5	3,0	Request
TPL 100-R/L	22,0	10,0 x 10,5 x 2,5	3,0	Request
TPL 115-R/L	25,0	11,5 x 10,5 x 2,5	3,0	Request
TPL 120-R/L	26,0	12,0 x 10,5 x 2,5	3,0	Request
TPL 130-R/L	28,0	13,0 x 10,5 x 2,5	3,0	Request
TPL 140-R/L	30,0	14,0 x 10,5 x 2,5	3,0	Request
TPL 150-R/L	32,0	15,0 x 10,5 x 2,5	3,0	Request
TPL 165-R/L	35,0	16,5 x 10,5 x 2,5	3,0	Request
TPL 190-R/L	40,0	19,0 x 10,5 x 2,5	3,0	Request

## ENGRAVER



Code	L x B x S	Quality TK20
TIL 1203	12,0 x 3,0 x 2,5	Request
TIL 1304	13,0 x 4,0 x 2,5	Request

## CENTRE WITH PLANS



Code	L x D x S	Quality TK20
TCL 1304	13,0 x 4,0 x 3,0	Request



## CENTRE ROUND



Code	L x D	Quality TK20
TCL 1303	13,0 x 3,0	Request



## OUR QUALITY GRADES

Quality : TK04UMG		Quality : TK02MG	
ISO Code	K01	ISO Code	K01
WC %	98	WC %	97,6
Co %	2,0	Co %	2,4
Density	15,3	Density	15,25
Grain (um)	0,2	Grain (um)	0,4
Hardness HV10	2550	Hardness HV10	2300
Transverse Rupture Strength	3200	Transverse Rupture Strength	3500

Quality : TKCN1		Quality : ST02F	
ISO Code	K01	ISO Code	K05
WC %	96	WC %	96
Co %	4,0	Co %	4,0
Density	15,1	Density	15,0
Grain (um)	0,8	Grain (um)	0,6
Hardness HV10	2100	Hardness HV10	2030
Transverse Rupture Strength	2500	Transverse Rupture Strength	3000

Quality : TK10MG		Quality : ST20F	
ISO Code	K01-K20	ISO Code	K20
WC %	94	WC %	90
Co %	6	Co %	10
Density	14,9	Density	14,3
Grain (um)	0,8	Grain (um)	0,6
Hardness HV10	1770	Hardness HV10	1680
Transverse Rupture Strength	3000	Transverse Rupture Strength	4300

Quality : TK20		Quality : KCR08	
ISO Code	K20	ISO Code	K05
WC %	94	WC %	96,7
Co %	6	Co %	3,2
Density	14,8	Density	15,2
Grain (um)	1,2	Grain (um)	0,8
Hardness HV10	1500	Hardness HV10	1920
Transverse Rupture Strength	2300	Transverse Rupture Strength	2300

Quality : TK10M		Quality : ST05B	
ISO Code	K20	ISO Code	K20
WC %	94	WC %	93,5
Co %	6,0	Co %	6,5
Density	14,9	Density	14,8
Grain (um)	1,5	Grain (um)	1,3
Hardness HV10	1530	Hardness HV10	1570
Transverse Rupture Strength	2000	Transverse Rupture Strength	3000





Via A. Locatelli 135

24019 Zogno (Bergamo), Italy

Phone +39 034590941

[www.teknometall.it](http://www.teknometall.it) - E-mail: [teknometall@gmail.com](mailto:teknometall@gmail.com)